# ESC-LHIN Medical Equipment and Related Supplies









Í

**KAT** 

250 Tecumseh Road East • Windsor Ontario N8X 2R3 • Tel (519) 977-7200 • Fax (519) 977-7281

medica

**Maxim** ESC-LHIN Medical Equipment & Related Supplies

Category		
BATHROOM AIDS	1-3	
TOILETING AIDS	4-6	
SEATING	7-8	
BEDROOM AIDS	9-10	
PATIENT LIFTS AND SLINGS	11-13	
SURFACES	14	
CANES	15	
RAMPS	16-17	
TRANSFER AIDS	18-20	
WALKERS AND ACCESSORIES	21-23	
WHEELCHAIRS AND ACCESSORIES	24-26	
ENTERAL FEEDING	27-31	
SUCTION	32-35	
RESPIRATORY	36-38	
MASON POLES	39-40	

#### **Bathroom Aids**

	Bathoom Alas			
ESC-LHIN Code	ltem	Item Description	lmage	
2920	BATH BOARD <b>(PLASTIC)</b>	• Dimensions: 14.5"(W) x 30.5"(L) • Weight Capacity: 250 lbs.	C S	
2910	BATH SEAT W/BACK ADJ	<ul> <li>Adjustable Height: 15.5" - 19.5"</li> <li>Dimensions (Outside Legs): 19.5"(W) x 19.5"(D)</li> <li>Weight Capacity: 400 lbs.</li> <li>Seat Dimensions 19.25"(W) x 11.5"(D)</li> </ul>		
2905	BATH SEAT/STOOL (NO BACK) ADJ	<ul> <li>Adjustable Height: 15.5" - 19.5"</li> <li>Dimensions (Outside Legs): 19.5"(W) x 19.5"(D)</li> <li>Weight Capacity: 400 lbs.</li> <li>Seat Dimensions 19.25"(W) x 11.5"(D)</li> </ul>		
0268	BATH SEAT W/BACK ADJ <b>HEAVY DUTY</b>	<ul> <li>Adjustable Height: 14" - 19"</li> <li>Dimensions (Outside Legs): 17.5"(W) x 17.25"(D)</li> <li>Seat Dimensions: 20"(W) x12" (D)</li> <li>Weight Capacity: 500 lbs.</li> <li>Seat Dimensions 19.25"(W) x 11.5(D)</li> </ul>		
0269	BATH SEAT/ STOOL (NO BACK) ADJ <b>HEAVY DUTY</b>	<ul> <li>Adjustable Height: 14" - 19"</li> <li>Dimensions (Outside Legs): 17.5"(W) x 17.25"(D)</li> <li>Seat Dimensions: 20"(W) x12" (D)</li> <li>Weight Capacity: 500 lbs.</li> </ul>		
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281				

#### **Bathroom Aids**

ESC-LHIN Code	ltem	Item Description	Image
0294	BATH SEAT W/ARMS STANDARD	<ul> <li>Adjustable Height: 16" - 21"</li> <li>Dimensions (Outside Legs): 17.75"(W) x 19.25"(D)</li> <li>Seat Dimensions: 16"(W) x 14.5"(D)</li> <li>Width Between Arms: 18.5"</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
0245	BATH SEAT ROUND	<ul> <li>Adjustable Height: 13.5" - 21"</li> <li>Dimensions (Outside Legs): 12.5"(W) x 12.5"(D)</li> <li>Seat Dimensions: 13"(W) x 13"(D)</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2900	BATH TRANSFER BENCH <b>BARIATRIC</b>	<ul> <li>Please specify on Order handle on Left or Right</li> <li>Adjustable Height: 18.5" - 23.5"</li> <li>Outside Legs: 32.5"(W)x 24"(D)</li> <li>Seat Dimensions: 26.5" (W) x 16.5" (D)</li> <li>Weight Capacity: 500 lbs.</li> </ul>	
2915	BATH TRANSFER BENCH <b>UNPADDED</b>	<ul> <li>Please specify on Order handle on Left or Right</li> <li>Adjustable Height: 17.5" - 22.5"</li> <li>Outside Legs: 32"(W) x 23"(D)</li> <li>Seat Dimensions: 26"(W) x 18.5"-19.5"(D)</li> <li>Weight Capacity: 400 lbs.</li> </ul>	
0029	BATH TRANSFER BENCH <b>PADDED</b>	<ul> <li>Please specify on Order handle on Left or Right</li> <li>Outside Legs: 29"(W) x 19.75"(D)</li> <li>Seat Dimensions: 24"(W) x 16"(D)</li> <li>Seat Height: 17.75"(L) x 21.75"(H)</li> <li>Weight Capacity: 400 lbs.</li> </ul>	

#### **Bathroom Aids**

ESC-LHIN Code	ltem	Item Description	Image
0172	TUB TRANSFER BENCH LEG EXTENSIONS <b>ORDERED AS</b> <b>A SET OF 4</b>	<ul> <li>12" Length</li> <li>Adds up to 3" to the height of transfer bench</li> <li>To be ordered with Code 2900, 2915 or 0029</li> </ul>	
0190	CLAMP ON TUB RAIL NOT FOR USE WITH FIBERGLASS TUBS <b>METAL</b>	<ul> <li>Adjustable Clamp: 3" - 7"</li> <li>Height: 14.5"</li> <li>Health care provider to place a piece of tape at desired install location</li> <li>Weight Capacity: 300 lbs.</li> <li>SOME ACRYLIC TUBS MAY CRACK WITH THE PRESSURE OF THE CLAMP AND MAY DAMAGE THE TUB</li> </ul>	
0190-1	CLAMP ON TUB RAIL NOT FOR USE WITH FIBERGLASS TUBS <b>PLASTIC</b>	<ul> <li>Adjustable Clamp: 3" - 6.25"</li> <li>Height: 16.5"</li> <li>Health care provider to place a piece of tape at desired install location</li> <li>Weight Capacity: 300 lbs.</li> <li>SOME ACRYLIC TUBS MAY CRACK WITH THE PRESSURE OF THE CLAMP AND MAY DAMAGE THE TUB</li> </ul>	

maxim medical

All product images shown are for illustration purposes only. Actual product may vary due to availability.

Toileting Aids			
ESC-LHIN Code	ltem	Item Description	Image
3000	COMMODE NO WHEELS, ADJ. HEIGHT	<ul> <li>Width: 18" between arms   25.75" Outside</li> <li>Seat Dimensions: 13.75"(W) x 16.5"(D)</li> <li>Adjustable Height: 16" - 21.75"</li> <li>Weight Capacity: 350 lbs.</li> <li>Includes 1 Pail OR 1 Splash Guard; Client may purchase extra Pail or Splash Guard for \$5</li> </ul>	
3015	COMMODE STATIONARY, DROP ARM	<ul> <li>Width: 19.75" between arms   23.5" Outside</li> <li>Seat Dimensions: 13.75"(W) x 16.5"(D)</li> <li>Adjustable Height: 20" - 24"</li> <li>Weight Capacity: 300 lbs.</li> <li>Includes 1 Pail OR 1 Splash Guard; Client may purchase extra Pail or Splash Guard for \$5</li> </ul>	
3010	COMMODE STATIONARY WIDE <b>(HEAVY DUTY)</b>	<ul> <li>Width: 23" between arms   27" Outside</li> <li>Seat Dimensions: 23.25"(W) x 18.5"(D)</li> <li>Adjustable Height: 15.5" - 22"</li> <li>Weight Capacity: 650 lbs.</li> <li>Includes Pail (Splash Guard not compatable)</li> </ul>	
3005	COMMODE WHEELED	<ul> <li>Four locking casters</li> <li>Seat to Floor Height: 22.25"</li> <li>Seat Width: 18.5"</li> <li>Weight Capacity: 350 lbs.</li> </ul>	
3020	RAISED TOILET SEAT (WITH LEG CUT OUT) <b>RIGHT</b>	• Height: 5 1/2″ • Weight Capacity: 250 lbs.	
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281			

Toileting Aids			
ESC-LHIN Code	ltem	Item Description	Image
3020-1	RAISED TOILET SEAT (W/LEG CUT OUT) <b>LEFT</b>	• Height: 5 1/2″ • Weight Capacity: 250 lbs.	
3025-2	RAISED TOILET SEAT WITH CLAMPS <b>2</b> "	• Seat Dimensions: 14"(W) x 16"(D) • Weight Capacity: 400 lbs.	
3025-4	RAISED TOILET SEAT WITH CLAMPS <b>4</b> "	• Seat Dimensions: 14"(W) x 16"(D) • Weight Capacity: 400 lbs.	
1023	TOILET SEAT ELEVATOR 3.5" <b>ELONGATED</b>	<ul> <li>Product Dimensions: 3.5"(H) x 14"(W) x 19.25"(D)</li> <li>Height: 3.5"</li> <li>Fits onto most elongated toilets</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
1023-1	TOILET SEAT ELEVATOR 3.5" <b>ROUND</b>	<ul> <li>Product Dimensions: 3.5"(H) x 13.5"(W) x 17.5"(D)</li> <li>Height: 3.5"</li> <li>Fits onto most round toilets</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281			

Toileting Aids				
ESC-LHIN Code	ltem	Item Description	Image	
3030	VERSA FRAME	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Adjustable Height: 26" - 31"</li> <li>Height Adjustable Armrests: 26" - 31"</li> <li>Width Adjustment between Armrests: 8" - 24"</li> <li>Overall Depth: arm 16.75", at leg 12"</li> <li>Weight Capacity: 250 lbs.</li> </ul>	R	
0270	VERSA FRAME <b>NO LEGS</b>	<b>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</b> • Width Between Arms: 16.5" - 19.5" • Width Adjustable Handles: 16" - 18" • Weight Capacity: 300 lbs.		

Seatin	g		
ESC-LHIN Code	ltem	Item Description	Image
2800-F	FOAM CUSHION <b>14"x 14"</b>	<ul> <li>Cover Material: Fluid-Resistant Stretch Top</li> <li>Waterproof Vinyl Bottom</li> <li>Cushion Material: Aerated foam</li> <li>Weight Capacity: 250 lbs.</li> </ul>	
0271	FOAM CUSHION <b>16"x 16"</b>	<ul> <li>Cover Material: Fluid-Resistant Stretch Top</li> <li>Waterproof Vinyl Bottom</li> <li>Cushion Material: Aerated foam</li> <li>Weight Capacity: 250 lbs.</li> </ul>	
0272	FOAM CUSHION <b>18"x 18"</b>	<ul> <li>Cover Material: Fluid-Resistant Stretch Top</li> <li>Waterproof Vinyl Bottom</li> <li>Cushion Material: Aerated foam</li> <li>Weight Capacity: 250 lbs.</li> </ul>	
0273	FOAM CUSHION <b>22"x 22"</b>	<ul> <li>Cover Material: Fluid-Resistant Stretch Top</li> <li>Waterproof Vinyl Bottom</li> <li>Cushion Material: Aerated foam</li> <li>Weight Capacity: 400 lbs.</li> </ul>	
2800-S	GEL CUSHION <b>16"x 16"</b>	<ul> <li>Includes cushion cover</li> <li>Not restricted by weight limit</li> </ul>	
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281			

Seating			
ESC-LHIN Code	ltem	Item Description	Image
2800-L	GEL CUSHION <b>18"x 18"</b>	<ul> <li>Includes cushion cover</li> <li>Not restricted by weight limit</li> </ul>	
2805-SLP	DRY FLOATATION CUSHION <b>16X16''</b> <b>Low Profile</b> <b>2'' Height</b>	<ul> <li>Includes Cushion Cover and Pump</li> <li>Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual</li> <li>Pump must be returned with cushion or client will be charged \$15</li> </ul>	
2805-LLP	DRY FLOATATION CUSHION <b>18"X18"</b> Low Profile 2" Height	<ul> <li>Includes Cushion Cover and Pump</li> <li>Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual</li> <li>Pump must be returned with cushion or client will be charged \$15</li> </ul>	
2805-S	DRY FLOATATION CUSHION <b>16X16"</b> <b>HIGH PROFILE</b> <b>4" HEIGHT</b>	<ul> <li>Includes Cushion Cover and Pump</li> <li>Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual</li> <li>Pump must be returned with cushion or client will be charged \$15</li> </ul>	
2805-L	DRY FLOATATION CUSHION <b>18"X18"</b> <b>HIGH PROFILE</b> <b>4" HEIGHT</b>	<ul> <li>Includes Cushion Cover</li> <li>Not Restricted by Weight Limit but cushion must be properly sized by health care provider to the individual</li> <li>Pump must be returned with cushion or client will be charged \$15</li> </ul>	
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281			

#### Bedroom Aids

ESC-LHIN Code	ltem	Item Description	Image
3120	HOSPITAL BED (ELECTRIC WITH MATTRESS)	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Dimensions 36" (W) x 88" (L)</li> <li>Mattress cover provided at N/C</li> <li>Bed Rails Ordered Separately (Use Code: 3125-F or 3125-S)</li> <li>Client Weight Capacity: 350 lbs.</li> </ul>	
3120-В	42" BARIATRIC HOSPITAL BED W/PARTIAL RAILS & MATTRESS	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Bed Height Adjustment: 17" - 27"</li> <li>Bed dimensions: 46.5"(W) (with rails) x 87"(L)</li> <li>Sleeping surface dimensions: 42" (W) x 80"(L)</li> <li>Client Weight Capacity: 500 lbs.</li> </ul>	
3125-S	Hospital Bed Rails <b>Split</b>	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Dimensions: 37"(L) x 19"(H)</li> <li>Welded steel construction</li> <li>For use with Hospital Style Bed</li> </ul>	

#### Bedroom Aids

ESC-LHIN Code	ltem	Item Description	lmage
3110	BED RAIL ASSIST <b>FIXED</b>	<ul> <li>Safety strap secures rail to bedframe</li> <li>Suitable for single, twin, double, queen or king size bed; Please indicate mattress size on order notes</li> <li>NOT suitable for hospital style bed</li> <li>Dimensions: 11.5"(W) x 20.75"(H) x 21.5"(D)</li> <li>Weight Capacity: 250 lbs.</li> </ul>	
3115	BED RAIL ASSIST <b>ADJUSTABLE</b>	<ul> <li>Safety strap secures rail to bedframe</li> <li>Suitable for single, twin, double, queen or king size bed; Please indicate mattress size on order notes</li> <li>NOT suitable for hospital style bed</li> <li>Weight Capacity: 250 lbs.</li> </ul>	
3130	BED RAIL <b>M RAIL</b>	<ul> <li>Safety strap secures rail to bedframe</li> <li>Suitable for single, twin, double, queen or king size bed; Please indicate mattress size on order notes</li> <li>NOT suitable for hospital style bed</li> <li>Weight Capacity: 300 lbs.</li> </ul>	Si
3135	OVERBED TABLE	<ul> <li>Height Adjustable: 28" - 45"</li> <li>Base Dimensions: 15.5"(D) x 26.5"(W)</li> <li>Tabletop Surface Dimensions: 15"(D) x 30"(W)</li> <li>Weight Capacity: 40 lbs.</li> </ul>	

# Patient Lifts and Slings

ESC-LHIN Code	ltem	Item Description	Image
2705	LIFT- ELECTRIC PATIENT LIFT	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Base Dimensions: 4.5"(H) Under-Bed Clearance, 41"(W) Open, 26.5"(W) Closed, 48"(L)</li> <li>Casters: 3" Front, 5" Rear - Locking</li> <li>Emergency Controls: Stop and Down</li> <li>Product Weight: 106 lbs.</li> <li>Weight Capacity: 450 lbs.</li> </ul>	S C C
0274	SLING- STANDARD SIT-TO-STAND	<ul> <li>Material: Polyester Nylon</li> <li>Dimensions: 44"(W) x 16"(L)</li> <li>Waist Belt: 60"</li> <li>Weight Capacity: 440 lbs.</li> </ul>	
0275	SLING- STANDARD SIT-TO-STAND	<ul> <li>Material: Polyester Nylon</li> <li>Dimensions: 58"(W) x 16"(L)</li> <li>Waist Belt: 84"</li> <li>Weight Capacity: 440 lbs.</li> </ul>	Non use
0276	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT <b>SMALL</b>	<ul> <li>Material: Polyester</li> <li>Overall Length: 59.8"</li> <li>Back Length: 29.2"</li> <li>Overall Width: 33"</li> <li>Weight Capacity: 450 lbs.</li> </ul>	

# Patient Lifts and Slings

		5	
ESC-LHIN Code	ltem	Item Description	Image
0277	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT <b>MEDIUM</b>	<ul> <li>Material: Polyester</li> <li>Overall Length: 62.8"</li> <li>Back Length: 35.7"</li> <li>Overall Width: 37.5"</li> <li>Weight Capacity: 450 lbs.</li> </ul>	
0278	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT <b>LARGE</b>	<ul> <li>Material: Polyester</li> <li>Overall Length: 67.8"</li> <li>Back Length: 41.7"</li> <li>Overall Width: 41"</li> <li>Weight Capacity: 450 lbs.</li> </ul>	
0279	SLING- STANDARD SPLIT LEG W/ HEAD SUPPORT <b>X-LARGE</b>	<ul> <li>Material: Polyester</li> <li>Overall Length: 72.3"</li> <li>Back Length: 43.2"</li> <li>Overall Width: 44.5"</li> <li>Weight Capacity: 450 lbs.</li> </ul>	
2740-SM	SLING- UNIVERSAL <b>SMALL</b>	<ul> <li>Material: Polyester Nylon</li> <li>Dimensions: 58"(W) x 16"(L)</li> <li>Waist Belt: 84"</li> <li>Weight Capacity: 440 lbs.</li> </ul>	
2740-MED	SLING- UNIVERSAL <b>MEDIUM</b>	<ul> <li>Material: Spacer Mesh Fabric</li> <li>Overall Length: 56.1"</li> <li>Overall Width: 39.4"</li> <li>Weight Capacity: 500 lbs.</li> </ul>	
MMS/ESC-LHIN	Cat.Ver. 4.0 (April 2020)	250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (51)	9) 977-7200 Fax (519) 977-7281

### Patient Lifts and Slings

 $\mathbf{m}$ 

m

ESC-LHIN Code	ltem	Item Description	Image	
2740-LG	SLING- UNIVERSAL <b>LARGE</b>	<ul> <li>Material: Spacer Mesh Fabric</li> <li>Overall Length: 61.2"</li> <li>Overall Width: 44.1"</li> <li>Weight Capacity: 500 lbs.</li> </ul>		
2740-XLG	SLING- UNIVERSAL <b>X-LARGE</b>	<ul> <li>Material: Spacer Mesh Fabric</li> <li>Overall Length: 63"</li> <li>Overall Width: 46.9"</li> <li>Weight Capacity (XL): 550 lbs.</li> </ul>		
0280	SLING- Full Body Mesh W/Head, Neck And Partial Under-Thigh Support <b>Medium</b>	<ul> <li>Material: Mesh Polyester</li> <li>Overall Length: 54.7"</li> <li>Overall Width: 41.5"</li> <li>Weight Capacity: 450 lbs.</li> </ul>		
0281	SLING- FULL BODY MESH W/HEAD, NECK AND PARTIAL UNDER-THIGH SUPPORT <b>LARGE</b>	<ul> <li>Material: Mesh Polyester</li> <li>Overall Length: 60.5"</li> <li>Overall Width: 45.5"</li> <li>Weight Capacity: 450 lbs.</li> </ul>		
0282	SLING- FULL BODY MESH W/HEAD, NECK AND PARTIAL UNDER-THIGH SUPPORT <b>X-LARGE</b>	<ul> <li>Material: Mesh Polyester</li> <li>Overall Length: 55"</li> <li>Overall Width: 45"</li> <li>Product Weight Capacity: 600 lbs.</li> </ul>		
	Cat Ver. 4.0 (April 2020)	250 Tecumseb Road Fast Windsor Ontario N8X 2R3 Tel (51	0) 077 7200 East (510) 077 7281	

#### Surfaces **ESC-LHIN Item Description** Item Image Code NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Pressure Range: 30-80 mmHg • Cycle Time: 10 minutes MATTRESS Mattress Dimensions: 3105 ALTERNATING 80"(L) x 36"(W) x 8"(D) AIR MATTRESS •Power Cord: 10 ft. •To be used with hospital style bed • Weight Capacity: 350 lbs. NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Inflates to approximately 31"(W) x 74"(L) x 1 1/2"(D) MATTRESS 3100 ALTERNATING 10-foot long Power Cord **AIR OVERLAY** Pressure Range: 50-105 mmHg To be used with hospital style bed • Weight Capacity: 250 lbs. • Hospital bed size: 76" x 36" MATTRESS 3145 Mattress Cover provided at N/C SILICONE **OVERLAY** Not restricted by weight limit NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. To be ordered by OT referral ONLY V2 MATTRESS • To be used with hospital style bed • Dimensions: 36"(W) X 80"(L) X6"(H) REPLACEMENT 0283 Comes with 1 Roho Insert WITH 1 • Mattress Weight Capacity: 300 lbs. **ROHO INSERT** (Up To 350 lbs. with the use of Roho Mattress Section) NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. To be ordered by OT referral ONLY V2 MATTRESS • To be used with hospital style bed REPLACEMENT 0284 • Dimensions: 36"(W) X 80"(L) X6"(H) WITH 2 ROHO Comes with 2 Roho Inserts INSERTS • Weight Capacity: 300 lbs. (Up To 350 lbs. with the use of Roho Mattress Sections)

Canes	Canes				
ESC-LHIN Code	ltem	Item Description	Image		
2005	QUAD CANE <b>SMALL BASE</b>	• Adjustable Height: 30″ - 39″ • Weight Capacity: 500 lbs.			
2000	QUAD CANE <b>LARGE BASE</b>	• Adjustable Height: 30″ - 39″ • Weight Capacity: 500 lbs.			

#### Ramps ESC-LHIN Code **Item Description** Item Image RAMP WHEELCHAIR • Folded Dimensions: 36" x 14.5" x 6.3" FOLDING OR • Product Weight: 39 lbs. 2600-1 **TELESCOPIC** • Weight Capacity: 600 lbs. MIN. 32"WIDTH **AND 6' LENGTH** RAMP • Folded dimensions: 48" x 14.5" x 6.3" WHEELCHAIR-2600-2 • Product Weight: 54 lbs. FOLDING OR **TELESCOPIC** -• Weight Capacity: 600 lbs. 8' LENGTH RAMP • Folded dimensions: 60" x 14.5" x 6.3" WHEELCHAIR 2600-3 • Product Weight: 66 lbs. FOLDING OR **TELESCOPIC** • Weight Capacity: 600 lbs. **10' LENGTH** RAMP WHEELCHAIR • Folded dimensions: 74.75" x 16" x 9.42" FOLDING OR • Product Weight: 54 lbs. 2600-4 TELESCOPIC MINIMUM • Weight Capacity: 600 lbs. **32" WIDTH AND** 12' LENGTH

#### Ramps

ESC-LHIN Code	ltem	Item Description	Image		
2600-5	RAMP WHEELCHAIR THRESHOLD <b>MIN. 32" WIDTH AND RISE 3.75' - 4.25"</b>	• Ramp Size: 30"(W) x 36"(L) • Weight Capacity: 600 lbs.			
2600-6	RAMP WHEELCHAIR THRESHOLD <b>MIN. 32" WIDTH AND RISE 4.75' - 5.25"</b>	• Ramp Size: 30"(W) x 36"(L) • Weight Capacity: 600 lbs.			
2600-7	RAMP WHEELCHAIR THRESHOLD <b>MIN. 32" WIDTH AND RISE 5.75' - 6.25"</b>	<ul> <li>Dimensions: 34"(W) x 32.75"(D) x 6"(H)</li> <li>Product Weight: 20 lbs.</li> <li>Weight Capacity: 700 lbs.</li> </ul>			

#### Transfer Aids **ESC-LHIN Item Description** ltem Image Code NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • For use with standard 8 Foot High (93"-100") ceilings; Stucco, drop or tile ceilings are not appropriate surfaces • Please advise the client that these are tension mounted poles and there may be some damage to the ceiling SUPER POLE or floor. The alternative is to screw it to the ceiling joists 2750 **STANDARD** • Health care provider to place a piece of tape at desired install location and mark in order notes placement • Weight Capacity: 300 lbs. (FOR CEILINGS OVER 8 FEET HIGH EXTENSION MUST BE ORDERED NON-FORMULARY REQUESTS REQUIRED) NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. Bar pivots and locks every 45 degrees • For use with standard 8 Foot High (93"-100") ceilings; Stucco, drop or tile ceilings are not appropriate surfaces SUPER POLE • Please advise the client that these are tension mounted poles and there may be some damage to the ceiling or floor The alternative is to WITH 2745 Health care provider to place a piece of tape at desired install HORIZONTAL location and mark in order notes placement BAR Weight Capacity: 300 lbs. (FOR CEILINGS OVER 8 FEET HIGH EXTENSION MUST BE ORDERED **NON-FORMULARY REQUESTS REQUIRED)** NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Heavy Duty model can only be used in applications with standard 8 Foot High (93"-100") ceilings • Please advise the client that these are tension mounted SUPER POLE 2770 poles and there may be some damage to the ceiling BARIATRIC or floor. The alternative is to screw it to the ceiling joists • Health care provider to place a piece of tape at desired install location and mark in order notes placement Weight Capacity: 450 lbs. NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Bar pivots and locks every 45 degrees SUPER POLE • Heavy Duty model can only be used in applications with standard 8 Foot High (93"-100") ceilings WITH • Please advise the client that these are tension mounted 2754 HORIZONTAL poles and there may be some damage to the ceiling BAR or floor. The alternative is to screw it to the ceiling joists • Health care provider to place a piece of tape at desired install location and mark in order notes placement BARIATRIC • Weight Capacity: 450 lbs.

Transf	Transfer Aids				
ESC-LHIN Code	ltem	Item Description	Image		
2755	TRANSFER SLIDE BOARD	<ul> <li>Product Size: 24"(L)</li> <li>Wood with Cut Out Handles</li> <li>Weight Capacity: 440 lbs.</li> </ul>			
0296	TRANSFER BELT <b>LARGE</b>	<ul> <li>Waist Size: 40"- 64"</li> <li>Pad Width: 5.5" with Four Handle Loops</li> <li>Side Release Buckle</li> <li>Not restricted by weight limit</li> </ul>			
0310	TRANSFER BELT <b>MEDIUM</b>	<ul> <li>Waist Size: 28" - 48"</li> <li>Pad Width: 5.5" with Four Handle Loops</li> <li>Side Release Buckle</li> <li>Not restricted by weight limit</li> </ul>			
0355	TRANSFER BELT <b>SMALL</b>	<ul> <li>Waist Size: 24"- 30"</li> <li>Pad Width: 5.5" with Four Handle Loops</li> <li>Side Release Buckle</li> <li>Not restricted by weight limit</li> </ul>			

Transfer Aids				
ESC-LHIN Code	ltem	Item Description	Image	
0107	EZ TURN TRANSFER DISC	<ul> <li>NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY.</li> <li>Adjustable height: 30" - 40"</li> <li>Adjustable knee supports</li> <li>Anti-slip surface to assist with patient transfer</li> <li>Weight Capacity: 300 lbs.</li> </ul>		
3166	TRAPEZE BAR W/STAND <b>(FREESTANDING)</b>	NOT SUITABLE FOR CLIENT PICK UP, DELIVERY ONLY. • Dimensions: 72"(H) x 31"(W) x 51"(D) • Inside Width Between Legs: 26" • Outside Width Between Legs: 31" • Boom Length: 37" • Product Weight: 74 lbs. • Weight Capacity: 650 lbs.	A	

#### Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2100	WALKER NON-FOLDING EXTRA WIDE ADULT <b>(BARIATRIC)</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable Height: 33" - 36"</li> <li>Width between grips: 22"</li> <li>For patients approximately 5'3" to 6'</li> <li>Weight Capacity: 850 lbs.</li> </ul>	
2150	WALKER FOLDING ADULT 2-WHEELED 32-39" WITH 5" SWIVEL WHEELS	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NO</li> <li>5" Swivel Wheels</li> <li>17" inside hand grip   19" inside b</li> <li>Overall Width: 22"</li> <li>Adjustable Height: 32" - 39"</li> <li>Weight Capacity: 350 lbs.</li> </ul>	
2140	WALKER FOLDING ADULT <b>32-39"</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>17" inside hand grip   19" inside back legs</li> <li>Overall Width: 22"</li> <li>Adjustable Height: 32" - 39"</li> <li>Weight Capacity: 350 lbs.</li> </ul>	
2145	WALKER FOLDING ADULT WITH GLIDERS 28.75-38.5", FIXED FRONT WHEELS	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>5" Caster Wheels</li> <li>17" inside hand grip   18.75" inside back legs</li> <li>Overall Width: 24"</li> <li>Adjustable Height: 28.75" - 38.5"</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2165	WALKER FOLDING JUNIOR 2-WHEELED 25-32", WITH 5" SWIVEL WHEELS	<b>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</b> • 5" Swivel Wheels • 17" inside hand grip   19" inside back legs • Overall Width: 22" • Weight Capacity: 350 lbs.	

#### Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2155	WALKER FOLDING JUNIOR <b>25-32"</b>	<b>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</b> • 17" inside hand grip   19" inside back legs • Overall Width: 22" • Adjustable Height: 25" - 32" • Weight Capacity: 350 lbs.	
2160	WALKER FOLDING JUNIOR WITH GLIDERS 28.75-38.5" FIXED FRONT WHEELS	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>5" Caster Wheels</li> <li>17" inside hand grip   18.75" inside back legs</li> <li>Overall Width: 24"</li> <li>Adjustable Height: 28.75" - 38.5"</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2105	WALKER-HEMI	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Overall Dimensions: 18.5" (W) x 16" (D)</li> <li>Height Adjustable: 28.5" - 35.5"</li> <li>Weight Capacity: 300 lbs.</li> </ul>	A
2200-L	WALKER FOREARM GUTTER/TROUGH <b>LEFT ARM</b>	<ul> <li>Adjustable handgrip 12" above walker height</li> <li>Client weight not to exceed weight capacity of walker</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2200-R	WALKER FOREARM GUTTER/TROUGH <b>RIGHT ARM</b>	<ul> <li>Adjustable handgrip 12" above walker height</li> <li>Client weight not to exceed weight capacity of walker</li> <li>Weight Capacity: 300 lbs.</li> </ul>	

#### Walkers and Accessories

ESC-LHIN Code	ltem	Item Description	Image
0287	TYPE 3 ROLLATOR WALKER SIDEWAYS FOLDING <b>SUPER LOW 8" WHEELS</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable handle height: 27.5" - 30.5"</li> <li>Distance between handles: 17.5"</li> <li>Overall Width: 24"</li> <li>Fixed Seat Height: 18.5"</li> <li>Weight Capacity: 330 lbs.</li> </ul>	
0288	TYPE 3 ROLLATOR WALKER SIDEWAYS FOLDING <b>LOW</b> 8" WHEELS	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable handle height: 29.5" - 33.5"</li> <li>Distance between handles: 17.5"</li> <li>Overall Width: 24"</li> <li>Fixed Seat Height: 21"</li> <li>Weight Capacity: 330 lbs.</li> </ul>	
0289	TYPE 3 ROLLATOR WALKER SIDEWAYS FOLDING <b>STANDARD 8" WHEELS</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable handle height: 32.5" - 36.5"</li> <li>Distance between handles: 17.5"</li> <li>Overall Width: 24"</li> <li>Fixed Seat Height: 24"</li> <li>Weight Capacity: 330 lbs.</li> </ul>	
0290	TYPE 3 MAXI+ <b>LOW</b> HEAVY DUTY ROLLATOR <b>8" WHEELS</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable handle height: 29" - 35"</li> <li>Distance between handles: 21.5"</li> <li>Overall Width: 27.5"</li> <li>Fixed Seat Height: 22"</li> <li>Weight Capacity: 440 lbs.</li> </ul>	
0356	TYPE 3 MAXI+ <b>STANDARD</b> HEAVY DUTY ROLLATOR <b>8" WHEELS</b>	<ul> <li>PLEASE SPECIFY HANDLE HEIGHT IN ORDER NOTES</li> <li>Adjustable handle height: 29" - 35"</li> <li>Distance between handles: 21.5"</li> <li>Overall Width: 27.5"</li> <li>Fixed Seat Height: 25.5"</li> <li>Weight Capacity: 440 lbs.</li> </ul>	

#### Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2400	WHEELCHAIR COMPANION <b>17</b> "	<ul> <li>With Removable, Swing- Away Leg Rests and Flip Back Arm Rests</li> <li>Seat Height: 19"</li> <li>Solid 8" caster wheels</li> <li>Product Weight: 20.5 lbs.</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2405	WHEELCHAIR COMPANION <b>19″</b>	<ul> <li>With Removable, Swing- Away Leg Rests and Flip Back Arm Rests</li> <li>Seat Height: 19"</li> <li>Solid 8" caster wheels</li> <li>Product Weight: 20.5 lbs.</li> <li>Weight Capacity: 300 lbs.</li> </ul>	
2414	STANDARD HEIGHT: FOLDING <b>14"</b> WHEELCHAIR - WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND FLIP BACK DESKARM RESTS	<ul> <li>Swingaway footrests with tool free height adjustment and calf strap</li> <li>Seat Height: 19"</li> <li>Product Weight: 37 lbs.</li> <li>Weight Capacity: 150 lbs.</li> </ul>	
2410	STANDARD HEIGHT: FOLDING <b>16"</b> WHEELCHAIR - WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	<ul> <li>Seat Height: 17.5" - 19.5"</li> <li>Product Weight: 40 lbs.</li> <li>Weight Capacity: 350 lbs.</li> </ul>	

#### Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	Image
2415	STANDARD HEIGHT: FOLDING <b>18"</b> WHEELCHAIR WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 41 lbs. • Weight Capacity: 350 lbs.	
2420	STANDARD HEIGHT: FOLDING <b>20"</b> WHEELCHAIR WITH ANTI-SWING-AWAY FOOT RESTS AND DETACHABLE FULL ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 42 lbs. • Weight Capacity: 350 lbs.	
2425	HEAVY DUTY <b>22"</b> WHEELCHAIR WITH ANTI-TIPPERS, SWING-AWAY FOOT RESTS AND DETACHABLE ARM RESTS	• Seat Height: 17.5″ - 19.5″ • Product Weight: 57 lbs. • Weight Capacity: 450 lbs.	

25

#### Wheelchairs and Accessories

ESC-LHIN Code	ltem	Item Description	lmage		
2210	AMPUTEE BOARD <b>16" x 16"</b>	<ul> <li>Can use RIGHT and/or LEFT side</li> <li>One foam stump cushion included</li> <li>PLEASE SPECIFY IF 2 STUMP CUSHIONS ARE REQUIRED IN ORDER NOTES</li> </ul>			
0357	AMPUTEE BOARD <b>18" x 18"</b>	<ul> <li>Can use RIGHT and/or LEFT side</li> <li>One foam stump cushion included</li> <li>PLEASE SPECIFY IF 2 STUMP CUSHIONS ARE REQUIRED IN ORDER NOTES</li> </ul>			
2245-L	WHEELCHAIR LEG REST ELEVATING <b>LEFT</b>	<ul> <li>Articulating Leg Rest for Manual Wheelchairs</li> <li>Overall Length: 19" - 26.5"</li> <li>Not suitable for Companion Wheelchairs</li> </ul>			
2245-R	WHEELCHAIR LEG REST ELEVATING <b>RIGHT</b>	<ul> <li>Articulating Leg Rest for Manual Wheelchairs</li> <li>Overall Length: 19" - 26.5"</li> <li>Not suitable for Companion Wheelchairs</li> </ul>			
2225	WHEELCHAIR SEATBELT	<b>DELIVERY ONLY AS INSTALLATION IS REQUIRED.</b> • Auto Style Closure Nylon Belt • Fits Waist Size up to 48" • Not restricted by weight limit			
MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020) 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281					

### **Enteral Feeding Equipment**

ESC-LHIN Code	ltem	Item Description	Image
3225	KANGAROO JOEY FEEDING PUMP WITH POLE-CLAMP	<ul> <li>Kangaroo Joey Feeding Pump</li> <li>Pole-Clamp Only</li> <li>A/C Adaptor</li> <li>Must Order Feeding Kit separately</li> <li>Must Order NG tube separately</li> <li>(if applicable)</li> </ul>	
3225-P	KANGAROO JOEY PUMP WITH POLE-CLAMP & <b>INFUSION POLE</b>	<ul> <li>Kangaroo Joey Feeding Pump</li> <li>IV Pole</li> <li>Pole-Clamp</li> <li>A/C Adaptor</li> <li>Must Order Feeding Kit separately</li> <li>Must Order NG tube separately</li> <li>(if applicable)</li> </ul>	
3225-В	KANGAROO JOEY PUMP <b>WITH BACKPACK</b>	<ul> <li>Kangaroo Joey Feeding Pump</li> <li>Kangaroo Joey Backpack</li> <li>A/C Adaptor</li> <li>Must Order Feeding Kit separately</li> <li>Must Order NG tube separately</li> <li>(if applicable)</li> </ul>	

#### **Enteral Feeding Kits**

MMS/ESC-LHIN Cat.Ver. 4.0 (April 2020)

ESC-LHIN Code	ltem	Item Description	Image
FE01-SV	ENTERAL FEEDING KIT <b>SMALL VOLUME</b> (OPEN SYSTEM)	<b>Kit Includes:</b> • (14) Enteral Feed Pump Set - 500ml • (3) Catheter Tip Syringe, 35ml • (1) Luer Lock Syringe, 30ml	
FE01 - LV	ENTERAL FEEDING KIT <b>LARGE VOLUME</b> (OPEN SYSTEM)	<b>Kit Includes:</b> • (14) Enteral Feed Pump Set - 1000ml • (3) Catheter Tip Syringe, 60ml • (1) Luer Lock Syringe, 30ml	
FE01-FS	ENTERAL FEEDING KIT <b>LARGE VOLUME</b> WITH FLUSH SET (OPEN SYSTEM)	<b>Kit Includes:</b> • (14) Enteral Feed and Flush Set -1000ml • (3) Catheter Tip Syringe, 60ml • (1) Luer Lock Syringe, 30ml	The second
FE10	ENTERAL FEEDING KIT WITH <b>SAFETY SCREW SPIKE</b> (CLOSED SYSTEM)	<ul> <li>Kit Includes:</li> <li>(14) Enteral Feed Pump Safety Screw Spike and Flush Set - 1000ml</li> <li>(3) Catheter Tip Syringe, 60ml</li> <li>(1) Luer Lock Syringe, 30ml</li> </ul>	
FE10-FS	ENTERAL FEEDING KIT WITH <b>FLUSH SET</b> (CLOSED SYSTEM)	<ul> <li>Kit Includes:</li> <li>(14) Enteral Feed Pump Safety Screw Spike and Flush Set - 1000ml</li> <li>(3) Catheter Tip Syringe, 60ml</li> <li>(1) Luer Lock Syringe, 30ml</li> </ul>	

250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (519) 977-7200 Fax (519) 977-7281

### **Enteral Feeding Kits**

ESC-LHIN Code	ltem	Item Description	Image
FE01-G	ENTERAL FEEDING KIT <b>GRAVITY</b> (OPEN SYSTEM)	<b>Kit Includes:</b> • (14) Enteral Gravity Feeding Bag - 1000ml • (3) Catheter Tip Syringe, 60ml • (1) Luer Lock Syringe, 30ml	Entertient and the second and the se

### **Enteral Feeding Supplies**

ESC-LHIN Code	ltem	Item Description	Image	
FE-PO05	NASOGASTRIC (NG) FEEDING TUBE <b>5 FR</b>	<ul> <li>Made of polyurethane</li> <li>30 day use</li> <li>Size 5Fr</li> </ul>		
FE-FT06	NASOGASTRIC (NG) FEEDING TUBE <b>6.5 FR</b>	<ul> <li>Made of polyurethane</li> <li>30 day use</li> <li>Size 6.5Fr</li> </ul>		
FE-PO08	NASOGASTRIC (NG) FEEDING TUBE <b>8 FR</b>	<ul> <li>Made of polyurethane</li> <li>30 day use</li> <li>Size 8Fr</li> </ul>		

### **Enteral Feeding Supplies**

ESC-LHIN Code	ltem	Item Description	Image		
SY-60MLOR	MONOJECT SYRINGE 60ML	<ul> <li>Purple Plunger</li> <li>Tip will not accept hypodermic needle</li> <li>Tip cap included</li> </ul>			
ENO7-Y	CORPAK "Y" EXTENSION KIT	<ul> <li>Y-extension set preserves Y-port on G-tubes or feeding tubes</li> <li>5 inch tubing length</li> <li>8 inch overall length</li> </ul>	A A A		

# **Suction Equipment**

ESC-LHIN Code	ltem	Item Description	Image
3235	SUCTION UNIT <b>STATIONARY</b>	<ul> <li>Vacuum Range 80-550 mmHg</li> <li>Flow Range 27 LPM Free Flow, Unrestricted</li> <li>A/C Adaptor</li> <li>Must order Supply Kit (LHIN Code SU01-O)</li> </ul>	
3235-P	SUCTION UNIT <b>PORTABLE</b>	<ul> <li>Vacuum Range 80-550 mmHg</li> <li>Flow Range 27 LPM Free Flow, Unrestricted</li> <li>Carrying Case Included</li> <li>Battery Included</li> <li>A/C Adaptor</li> <li>Must order Supply Kit (LHIN Code SU01-O)</li> </ul>	

Suctio	Suction Kits				
ESC-LHIN Code	ltem	Item Description	Image		
SU01-O	SUCTION SUPPLIES KIT	<b>Kit Includes:</b> • (2) Canister 800ml with lid • (2) Connection Tubing • (2) Tonsil Tip Bulb without Vent			
SUNG14-K	GASTRIC SUCTIONING KIT <b>14FR</b>	<b>Kit Includes:</b> • (2) Suction Canister 2000ml with lid • (2) Suction Connection Tubing • (2) Nasogastric Tube - 14Fr			
SUNG16-K	GASTRIC SUCTIONING KIT <b>16FR</b>	<b>Kit Includes:</b> • (2) Suction Canister 2000ml with lid • (2) Suction Connection Tubing • (2) Nasogastric Tube - 16Fr			

# **Suction Supplies**

ESC-LHIN Code	ltem	Item Description	Image	
SU06	SUCTION CATHETER <b>6 FR</b>	<ul> <li>Size: 6Fr</li> <li>Thumb Control</li> <li>Graduation markings</li> <li>Straight pack</li> <li>Sterile</li> <li>Latex free</li> </ul>		
SU08	SUCTION CATHETER <b>8 FR</b>	<ul> <li>Size: 8Fr</li> <li>Thumb Control</li> <li>Graduation markings</li> <li>Straight pack</li> <li>Sterile</li> <li>Latex free</li> </ul>		
SU10	SUCTION CATHETER <b>10 FR</b>	<ul> <li>Size: 10Fr</li> <li>Thumb Control</li> <li>Graduation markings</li> <li>Straight pack</li> <li>Sterile</li> <li>Latex free</li> </ul>		
SU12	SUCTION CATHETER <b>12 FR</b>	<ul> <li>Size: 12Fr</li> <li>Thumb Control</li> <li>Graduation markings</li> <li>Straight pack</li> <li>Sterile</li> <li>Latex free</li> </ul>		
SU14	SUCTION CATHETER <b>14 FR</b>	<ul> <li>Size: 14Fr</li> <li>Thumb Control</li> <li>Graduation markings</li> <li>Straight pack</li> <li>Sterile</li> <li>Latex free</li> </ul>		

Suctio	Suction Supplies				
ESC-LHIN Code	ltem	Item Description	Image		
SU03	YANKAUER BULB TIP <b>WITH VENT</b>	<ul> <li>Bulbous tip, vented</li> <li>Single use</li> <li>Sterile</li> </ul>			

### **Respiratory Equipment**

ESC-LHIN Code	ltem	Item Description	Image
3205	COMPRESSOR AEROSOL	<ul> <li>Medication capacity: 6 ml</li> <li>Particle size: 0.5 to 5 µm</li> <li>Average nebulization rate: 0.2 - 0.5 ml/min</li> <li>Operation pressure: 35 to 45 psi</li> <li>Air flow: 6 - 9 lpm</li> <li>Must order with supply kit (LHIN Code NU01 or NU02)</li> </ul>	
3210	Compressor High Humidity	<ul> <li>Maximum Humidity: Max 95% non-condensing</li> <li>Max Sustained Pressure: 60 psig (PM15P)</li> <li>Mode of Operation: Continuous</li> <li>Must order supply kit</li> <li>(LHIN Code NU00-A or NU00-P)</li> <li>Must order Distilled Water</li> <li>(LHIN Code NU08)</li> </ul>	Cutor Control

### **Respiratory Kits**

ESC-LHIN Code	ltem	Item Description	Image
NU01	AEROSOL KIT <b>ADULT</b>	<b>Includes:</b> • (1) Nebulizer cup • (1) Adult aerosol mask • (1) 7 foot oxygen tube • Latex Free	
NU02	AEROSOL KIT <b>PAEDIATRIC</b>	<b>Includes:</b> • (1) Nebulizer cup • (1) Paediatric aerosol mask • (1) 7 foot oxygen tube • Latex Free	
NU00-A	HIGH HUMIDITY TRACH KIT <b>ADULT</b>	Includes: • (1) Trach Mask - Adult • (1) Corrugated Tubing (Trach) - 6 Foot • (1) Nebulizer Bottle - 350ml - For High Humidification (LHIN Code NU03)	
NU00-P	HIGH HUMIDITY TRACH KIT <b>PAEDIATRIC</b>	<b>Includes:</b> • (1) Trach Mask - Paediatric • (1) Corrugated Tubing (Trach) - 6 Foot • (1) Nebulizer Bottle - 350ml - For High Humidification (LHIN Code NU03)	

# **Respiratory Supplies**

ESC-LHIN Code	ltem	Item Description	Image
NU08	DISTILLED WATER - 4L	• Distilled water (4L) <b>Must be ordered with LHIN Code 3210</b>	
NU03	NEBULIZER BOTTLE HIGH HUMIDIFICATION	• Airlife Jet Nebulizer 350ml - Empty	

# **Mason Poles**

ESC-LHIN Code	ltem	Item Description	Image
0234	CUSTOM MASON I.V. POLE <b>SUPER</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0235	CUSTOM MASON I.V. POLE <b>THE BAT</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0236	CUSTOM MASON I.V. POLE <b>WONDER</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0237	CUSTOM MASON I.V. POLE <b>M. MOUSE</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0238	CUSTOM MASON I.V. POLE <b>PRINCESS</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	

# **Mason Poles**

**I**II

ESC-LHIN Code	ltem	Item Description	Image
0239	CUSTOM MASON I.V. POLE <b>SPIDEY</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0240	CUSTOM MASON I.V. POLE <b>CAP</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0241	CUSTOM MASON I.V. POLE <b>OWL</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0242	CUSTOM MASON I.V. POLE <b>CUPCAKE</b>	• Customized 5 Leg I.V. Pole Please also note 2nd and 3rd choice in additional notes on order form	
0295	CUSTOM MASON I.V. POLE <b>MASEMAN</b> Cat.Ver. 4.0 (April 2020)	• Customized 5 Leg I.V. Pole <b>Please also note 2nd and 3rd choice</b> <b>in additional notes on order form</b> 250 Tecumseh Road East Windsor, Ontario N8X 2R3 Tel (51)	